


LEVO Dealer:	Date:
Dealer reference / Client name:	LEVO AG Anglikerstrasse 20 CH-5610 Wohlen Tel.: +41 56 618 44 11 Fax: +41 56 618 44 10 Office@levo.ch
Order number:	
Standard configuration	60.001.7201



- Power Base: width 63 cm; length 105 cm (incl. footplate)
- E/E Wheelchair with 4 active wheels and "Low shearing system"
- Seat support plate
- Seat height 48 cm
- V-Trak Axxis low back, 40 cm/16" high
- Quick release for reclining back
- Flip-up armrests
- VR2 control system from PG Drives Technology
- 48 Ah Batteries and battery charger
- Standard colors: red, yellow, blue, black or white
- Flip-up footrest side- and backwards with non slip surface
- Chest strap and knee support pro
- 8" single rear wheel castors
- Vehicle tie-down locations

Anthropometric Data











Please measure the anthropometric data as shown. If possible, the user should be in a sitting position and wearing shoes.

1 Hip width	Please check the correct box according to the measured hip width in a sitting position:		32 cm <input type="checkbox"/>	52 cm <input type="checkbox"/>
			↓ Seat width: 32 cm <input type="checkbox"/> Option 36 cm <input type="checkbox"/> Option 40 cm <input type="checkbox"/> Option 44 cm <input type="checkbox"/> Option 48 cm <input type="checkbox"/> Option 52 cm <input type="checkbox"/> Option	
2 Upper leg length	Please fill in the measured upper leg length:		38 cm <input type="checkbox"/>	66 cm <input type="checkbox"/>
3 Lower leg length	Please fill in the measured lower leg length:		24 cm <input type="checkbox"/>	44 cm <input type="checkbox"/>
	If the lower leg length is between 45 and 50 cm, C3 is available with a 6 cm higher seat height. The seat height is not adjustable. Please check the box accordingly.		<input type="checkbox"/>	Option <input type="checkbox"/>
4 Elbow height	Standard armrest height is 22 cm		17 cm <input type="checkbox"/>	26 cm <input type="checkbox"/>
User weight	The weight of the user determines the force of the gas springs. The maximum user weight is 140 kilograms. Please fill in the box.		0 - 60 kg <input type="checkbox"/>	1200 N <input type="checkbox"/>
			60 - 100 kg <input type="checkbox"/>	1700 N <input type="checkbox"/>
			100 - 140 kg <input type="checkbox"/>	2100 N <input type="checkbox"/>


Controls



1 VR2 Control system: - Standard control system - 90 A Power module - Max. 2 actuators	- Controls lights - Programmable	<input type="checkbox"/>	Standard	<input checked="" type="checkbox"/>
2 R-Net control system "Standard": - Color LCD Joystickmodule - 120 A Power module - Max. 6 actuators, multiple axes	- Controls lights - Fully programmable, multiple profiles - Expandable	<input type="checkbox"/>	60.072.0010	
3 R-Net control system "XL", as R-net control system "Standard" with following extras: - 3.5" VGA color display - Paddle switches for on/off, profile/mode and speed	- Metal case - Loudspeaker instead of a buzzer for a louder horn	<input type="checkbox"/>	60.072.0020	
3 R-Net control system "XL", with integrated bluetooth		<input type="checkbox"/>	60.072.0030	

Joystick position																				
 	① Swing-away, offers more space for transfers and allows to drive closer to tables ② Joystick protection guard, shock protection for joystick, protects the users hands	Right Left	<table border="1"> <tr><td>Standard</td><td>•</td></tr> <tr><td>Option</td><td></td></tr> </table>	Standard	•	Option		<table border="1"> <tr><td>60.005.7210</td></tr> <tr><td>60.012.6860</td></tr> </table>	60.005.7210	60.012.6860										
	Standard	•																		
Option																				
60.005.7210																				
60.012.6860																				
Attendant Controls																				
	VR2 Attendant control R-Net Attendant control For special controls, see our special controls order form.			<table border="1"> <tr><td>32.072.0140</td></tr> <tr><td>32.068.1850</td></tr> </table>	32.072.0140	32.068.1850														
32.072.0140																				
32.068.1850																				
Speed																				
	6 km/h 8 km/h 10 km/h			<table border="1"> <tr><td>Option</td></tr> <tr><td>Option</td></tr> <tr><td>Standard</td><td>•</td></tr> </table>	Option	Option	Standard	•												
Option																				
Option																				
Standard	•																			
Stability*																				
	Gyro module, only available for R-net control system - Perfect control on cambers - Straight line driving over obstacles - Eliminates spin-out and fish-tailing * This option is only available in Europe			<table border="1"> <tr><td>32.072.0400</td></tr> </table>	32.072.0400															
32.072.0400																				
Batteries																				
	48 Ah 73 Ah Without batteries, be aware net price is lower after discount Without charger, be aware net price is lower after discount			<table border="1"> <tr><td>Standard</td><td>•</td></tr> <tr><td>60.006.7210</td></tr> <tr><td>60.106.6810</td></tr> <tr><td>60.111.6710</td></tr> </table>	Standard	•	60.006.7210	60.106.6810	60.111.6710											
Standard	•																			
60.006.7210																				
60.106.6810																				
60.111.6710																				
Frame color																				
	Red Yellow Blue Black White Blue metallic Red metallic Silver metallic Orange reflex Lemon reflex Silver reflex Other RAL color	RAL 3020 RAL 1018 RAL 5002 RAL 9017 RAL 9016 RAL 5005-M RAL 3002-M RAL 9007 RAL 2011-R RAL 6018-R RAL 9007-R RAL: _____		<table border="1"> <tr><td>Standard</td><td>•</td></tr> <tr><td>Option</td></tr> <tr><td>Option</td></tr> <tr><td>Option</td></tr> <tr><td>Option</td></tr> </table>	Standard	•	Option	Option	Option	Option	<table border="1"> <tr><td>60.008.0020</td></tr> <tr><td>60.008.0020</td></tr> <tr><td>60.008.0020</td></tr> </table>	60.008.0020	60.008.0020	60.008.0020	<table border="1"> <tr><td>60.008.0030</td></tr> <tr><td>60.008.0030</td></tr> <tr><td>60.008.0030</td></tr> </table>	60.008.0030	60.008.0030	60.008.0030	<table border="1"> <tr><td>60.008.0010</td></tr> </table>	60.008.0010
Standard	•																			
Option																				
Option																				
Option																				
Option																				
60.008.0020																				
60.008.0020																				
60.008.0020																				
60.008.0030																				
60.008.0030																				
60.008.0030																				
60.008.0010																				
Tube color																				
	Standard grey metallic Matt black			<table border="1"> <tr><td>Standard</td><td>•</td></tr> <tr><td>Option</td></tr> </table>	Standard	•	Option													
Standard	•																			
Option																				
Wheels																				
 	① Block profile drive wheels ② V-profile drive wheels Puncture proof tires on drive wheels Air tires on drive wheels Black tires ③ 7" twin rear castors			<table border="1"> <tr><td>Standard</td><td>•</td></tr> <tr><td>Option</td></tr> </table>	Standard	•	Option	<table border="1"> <tr><td>Standard</td><td>•</td></tr> <tr><td>Option</td></tr> </table>	Standard	•	Option	<table border="1"> <tr><td>On request</td></tr> </table>	On request	<table border="1"> <tr><td>60.002.0140</td></tr> </table>	60.002.0140					
Standard	•																			
Option																				
Standard	•																			
Option																				
On request																				
60.002.0140																				
Lights																				
	Lights and indicators for outdoor use			<table border="1"> <tr><td>60.012.7220</td></tr> </table>	60.012.7220															
60.012.7220																				
Seating																				
	① Tilt in space 0 - 30° ② Power reclining backrest, only in combination with R-Net, comes with plastic cover ③ Power Elevating Legrests, only in combination with R-Net. Knee support "Integral" fitted. - Length compensated 155mm - Legrests can be controlled separately, but also together			<table border="1"> <tr><td>60.012.7210</td></tr> <tr><td>60.009.0150</td></tr> <tr><td>60.012.7230</td></tr> </table>	60.012.7210	60.009.0150	60.012.7230													
60.012.7210																				
60.009.0150																				
60.012.7230																				

Backrest, The V-Trak Axxis low backrest is delivered with the chair as a standard feature



- ① V-Trak Axxis low backrest, height 40 cm/16"
- ② V-Trak Axxis high backrest, height 61 cm/24"
- V-Trak Axxis reduced height backrest, height 31 cm/12"

	Standard	•
	60.009.0080	
	60.009.0070	

- ③ V-Trak Axxis Deep contour

Size ▶	M	L	XL	XXL
Type ▼	inside 26 - 37 cm	inside 30 - 40 cm	inside 33 - 46 cm	inside 35 - 52 cm
a High				
b Reduced height				

	60.009.0110
	60.009.0130

- ④ Third party backrest conversion bracket, please choose the correct size

32 - 36	32.072.0351
40 - 44	32.072.0352
44 - 52	32.072.0353


Without backrest shell, be aware net price is lower after discount

	60.109.7210
--	-------------

Seat cushion, with memory foam depending on the seat depth and seat width incl. cover




Seat width ▶	32	36	40	44	48	52
Seat depth ▼						
35, 37, 39 cm	30.103.5531	30.103.5532	30.903.5535	30.903.5531	30.903.5538	on request
41, 43, 45 cm	30.903.5532	30.103.5533	30.103.5534	30.103.5539	30.903.5536	30.903.5537
47, 49, 51 cm	30.903.5533	30.103.5535	30.103.5536	30.103.5541	30.103.5542	30.103.5549
53, 55, 57 cm	on request	30.903.5534	30.103.5537	30.103.5543	30.103.5544	30.103.5545
59, 61, 63 cm	on request	on request	30.103.5538	30.103.5546	30.103.5547	30.103.5548



Seat cushion cover


Seat width ▶	32	36	40	44	48	52
Seat depth ▼						
35, 37, 39 cm	30.103.6211	30.103.6212	30.903.6215	30.103.6220	on request	on request
41, 43, 45 cm	30.903.6212	30.103.6213	30.103.6214	30.103.6219	30.103.6235	30.103.6230
47, 49, 51 cm	30.903.6213	30.103.6215	30.103.6216	30.103.6221	30.103.6222	30.103.6229
53, 55, 57 cm	on request	30.903.6214	30.103.6217	30.103.6223	30.103.6224	30.103.6225
59, 61, 63 cm	on request	on request	30.103.6218	30.103.6226	30.103.6227	30.103.6228



Seat cushion cover urin proof for all seat depths and widths

	30.903.6230
--	-------------

Headrest



- ① V-Trak headrest standard, only in combination with V-Trak Axxis backrest
- ② V-Trak headrest winged, only in combination with V-Trak Axxis backrest
- Track extension for V-Trak head support

	02.067.116
	02.067.117
	02.009.0028

Knee support



- ① Knee support Pro
- ② Knee support Integral
- Extension for Integral +100 mm

Size S (10 - 12 cm)	Standard	•
Size M (14 - 16 cm)	Standard	•
Size S (10 - 12 cm)	60.011.0040	
Size M (14 - 16 cm)	60.011.0040	
	Option	

Accessories



- ① Skirt guard
- ② Upper leg support
- Holder to skirt guard and upper leg support

Right	32.072.0021
Left	32.072.0022

Right	32.072.0031
Left	32.072.0032

32	36	40	44	48	52
2x	2x	2x	2x	2x	2x
32.072.0151	32.072.0152	32.072.0153	32.072.0154	32.072.0155	32.072.0156

Accessories



③ Chest role

32	36	40	44	48	52
320.720.041	32.072.0042	32.072.0043	32.072.0044	32.072.0045	32.072.0046



④ Foot guide

Small	Right		32.069.95
	Left		32.069.96
Large	Right		32.070.0040
	Left		32.070.0041



⑤ Push handle bar

	32.072.0090
--	-------------



⑥ Rearview mirror

Right		32.072.0050
Left		32.072.0050

⑦ Swing-away table tray

32 - 40		32.072.0011
44 - 52		32.072.0012

Mounted on the opposite side of the joystick position

Right	
Left	

Quick release kit for seat depth and footrest position adjustment

	60.004.7200
--	-------------



⑧ Joystick top

T-bar		20.067.22
Stick		20.067.23
Softball		20.067.24
Mushroom		20.067.25
Chin		20.067.26
Ball		20.067.27



Remarks