



EUROCHAIR2

2.750 Stock version

 **Allowed user weight**
130 kg

 **Suitable for passenger transport**
Tested to ISO 7176-19





Double scissor standard



Wheelbase extension by turning the varioblock backwards



Height-adjustable side panel with depth-adjustable armrest



Detachable, swing-away legrests. Footplates angle-adjustable, incl. single calf strap.

For universal application

EFFICIENCY

- Durable product through the use of high value materials and a high level of manufacturing quality, little need for repairs
- Extensive options from the Eurochair modular system
- Long term assurance of spare parts provision through an area wide dealer structure
- Optimal reinstallment through simple adaptation to the new user

THERAPEUTIC BENEFIT

- Enhances individual mobility through fine tuned adjustment of seat, back and chassis to the user
- Refitting and adaptations possible
- Better light-running properties with little required propelling strength
- Simple handling and reduced weight ease everyday handling

FIELD OF USE

- For permanent everyday use
- Optimal provision of many disabilities due to the high level of adjustment possibilities
- Mostly implemented at home, but also in rehabilitation clinics to achieve therapeutic goals

ORDER

COST ESTIMATE

CUSTOM DESIGN

Please fax the completed order form to: **05733 922 9311**

Customer service **05733 922 311**

Billing address / Customer ref. no.:

Delivery address:

Tax-ID

Consignment / Comments:

MEYRA



Basic equipment

- Rear wheels 24"
- Handrim aluminium
- Handrim distance narrow
- PU-tyres, puncture safe
- Steering wheels 180 mm PU
- Adjustable back
- Side part height-adjustable, fold-up-, swivable-, detachable
- Armrest pad depth adjustable
- Leg supports, removable and swivelling
- Footrests angle adjustable with single calf straps
- Seat depth 430 mm
- Back height 420 mm
- Seat and back strap Upholstered, black
- Frame colour Silverline



Allowed user weight

130 kg



Suitable for passenger transport

Tested to ISO 7176-19



Hints

Our Terms and Conditions as stated at www.meyra.de/AGB shall apply
 You can find information on the measurement process at www.meyra.de/messverfahren
 When transported in public transport (e.g. train), the dimensions of the wheelchair may be higher than the guide values of the transport company. Please inquire in advance.
 When using auxiliary drives, the permissible total weight must not be exceeded.

Valid from 01.01.2024 – 31.12.2024.
 Errors, misprints and changes reserved.

Use our K.I.S.S.S. for orders and configurations at www.kisss-by-meyra.de
 You avoid queries and incorrect orders thanks to the buildability check

**Technical specifications**

Seat widths in mm	380 / 400 / 430 / 460 / 480 / 500 / 530
Width ready to drive in mm from	Seat width +200
Width folded in mm from	310
Seat depth in mm	variable 400 - 460
Seat height front/rear in mm	variable 470 - 520
Overall height in mm	930
Back support height in mm	400 / 420 / 440
Arm support height in mm	210 - 260
Length with footrest in mm	1050
User weight	130 kg
Empty weight from	17,5 kg
Permissible overall weight	150 kg
Rear wheel	616 mm (24")
Brake test according to STANDARD	7°

Please enter your quantities in the boxes

01 Pressure Brake

Item	DESCRIPTION
9275025	SW 380 mm Pressure brake
9275026	SW 400 mm Pressure Brake
9275027	SW 430 mm Pressure Brake
9275028	SW 460 mm Pressure brake
9275029	SW 480 mm Pressure brake
9275030	SW 500 mm Pressure brake
9275031	SW 530 mm Pressure brake

02 Drum Brake

Item	DESCRIPTION
9275032	SW 380 mm Drum brake
9275024	SW 400 mm Drum brake
9275033	SW 430 mm Drum brake
9275034	SW 460 mm Drum brake
9275035	SW 480 mm Drum brake
9275036	SW 500 mm Drum brake
9275037	SW 530 mm Drum brake

20 Options (delivered separately)

Item	DESCRIPTION
3250000	*Schiebehilfe V-MAX mini
3250001	*Rollstuhlhalterung (Standard)
3250002	*Zusätzlicher Akkupack für eine doppelte Reichweite

USER DATA

First name

Name

Street

ZIP CODE

City

Country

Birthday

Diagnosis 1

Diagnosis 2

Tel.

Mobil

E-mail

Order number

Health insurance fund / cost unit

Specialist trade Contact person/phone.

Supply specialist MEYRA

Approval info from week

ANATOMICAL DATA (IN MM)

1) Seat depth

2) Seat width

3) Chest width

4) Chest depth

5) Elbow height

6) Armpit height

7) Back height


8) Head height

9) Forearm length

10) LLL

Body height

Weight (kg)



Remarks

I accept the Terms and Conditions of Meyra Distribution GmbH (valid as of January 2023)

<https://www.meyra.com/gtc/>

Date

City

Signature