



Hydraulic

Homelift

# ARMONY

Armony is the most versatile homelift with an infinite number of car finishes and with a load range up to 500 kg.



### Applications

- Residential buildings
- Architectural Barriers
- Elimination of architectural barriers

## Advantages

### Maximum safety:

We have exhaustively studied its design to ensure the safety standard of a lift.

### Decorative versatility:

We can provide the home lift with the same decorative characteristics than a normal lift (any car model, automatic doors, etc).

### Single-phase:

Works on any single-phase 220 V socket.

### Space optimization:

Up to 80% use of the shaft.

### Emergency rescue:

Equipped with a rescue system that allows to evacuate to passengers even in the event of a power failure.



## Cabinets

We have a pre-assembled KIT, which consist in: hydraulic equipment + cabinet + control panel, everything already assembled, pre-wired and tested in the factory. Facilitates commissioning (Plug and Play).

Type	Width (mm)	Depth (mm)	Height (mm)
MS-A	630	300	1500
TIPO 3	700	400	1306




## Technical Features

<b>Duty speed:</b>	0,15 m/s
<b>Duty load:</b>	Up to 500 kg.
<b>Power (single phase):</b>	4,3K maximum
<b>Minimum pit:</b>	125 mm. (Q ≤ 385kg) 200 mm. (Q > 385kg)
<b>Minimum headroom:</b>	2300 mm. (without car door)
<b>Maximum travel:</b>	24 m.

**Option:**  
With car door

## Manufacturers


<b>Car Frame</b>	EMESA
<b>Hydraulic equipment</b>	MORIS Y GMV
<b>Structures</b>	TTV
<b>Doors</b>	FERMATOR
<b>Control panel</b>	CARLOS SILVA,



## Standard sizes

Q (KG)	AH	FH	AC	FC	PL
180	1100	1100	800	900	700
225	1300	1100	1000	900	700
300	1300	1400	1000	1200	800
350	1400	1400	1100	1200	900
385	1400	1600	1100	1400	900
400	1400	1650	1100	1450	900
450	1580	1700	1200	1500	900
500	1580	1800	1200	1600	900

\* Standard sizes for installations without car door. Other shafts sizes, on request.



## Standard sizes

Q (KG)	AH	FH	AC	FC	PL
180	1150	1150	800	900	700
225	1250	1250	900	1000	700
300	1400	1450	1000	1200	800
350	1400	1450	1100	1200	800
385	1550	1650	1100	1400	900
400	1550	1700	1100	1450	900
450	1580	1750	1200	1500	900
500	1580	1850	1200	1600	900

\* Standard sizes for installations with car door. Other shafts sizes, on request.