





# Table Mounts

Independent communication for each stage of the day – this is our mission. Whether you want to place the device on top of something - even on uneven surfaces - or whether you want to clamp it onto a piece of furniture, Rehadapt has the right solution for you – ensures very sturdy mounting for all types of devices.




# Table Mounts

There are two types of table mounts which meet different needs of the beneficiary and his environment. Choose between clamping and standing solutions, adjustability and easy transportation.



## STANDS


Self-standing table mounts that hold devices on a tripod, in a kickstand or on an X-frame which automatic levelling on uneven surfaces.



## CLAMPS

Table clamps are securely clamped onto a given table or armrest. This saves space on the surface. Optionally they can be mounted on walls.





## STANDS

Choose from different stands which are very transportable, height-adjustable and standing stable on even or uneven surfaces.

### Highly transportable




#### TS-FT 12.1660

Folding table stand for tablets. The hard hinged joint allows a multitude of angles. Holds tablets with and without protective case (width: 10 mm and 25 mm). Folds open and wraps around 9,7" tablets for easier transportation.



Folds open and wraps around 9,7" tablets for easier transportation.



#### TS-GO 12.1652

Easily foldable table stand that ensures the secure positioning of devices. Ideal for transitions between different sites. Custom transportation bag included.

### Replacement parts

#### TS-GO Bag 02.0007

The TS-GO Bag fits the folded TS-GO perfectly to ensure an even easier and safer transportation.



# Table Mounts

Ideal for touch devices



## TS-DC 12.1653

Table stand mount with a straight, vertical Tube and Universal Device Socket (UDS-22-DC). Vibration-proof and slip-proof rubber feet. Height: 5 - 250 mm (3/16" - 9 13/16").

## TS-UC 12.1650

✓ with UDS

## TS-UC SLS 12.1655

✓ with SLS

Table stand designed for even surfaces. Prevents skidding or sliding. Holds the communication device upright, flat or at any tilt angle. Folds flat.



Mounting in two directions for steep and flat device positions



Folds flat for easy transportation

## Replacement parts



### Foot for TS-DC/UC 01.0105

Replacement foot for Rehadapt's TS-DC and TS-UC.




## Auto-levelling



### **TS-XL** 12.1602

Tabletop mounting system. X-formed frame with automatic surface leveling system. Device height: 5 - 500 mm (3/16" - 19 11/16"). Universal Device Socket included (UDS-22-DC).



X-formed frame with self-leveling mechanism.

## Replacement parts




### **Foot for TS-XL** 01.0106

Replacement foot for Rehadapt's TS-XL.



# Table Mounts



## CLAMPS

Choose from different table clamps which are very sturdy and adjustable while saving space on the desk surface.



Rehadapt table clamps are quick and easy to apply to boards, table legs or other furniture through the use of the versatile SuperClamp. Equipped with a double-clamp UDS, they are the equivalent to the Swiss Army Knife in mounting: handy in all areas.



**TC**  
12.1700

✓ with one  
L-tube



**ClampOnMount**  
12.1760

✓ with two  
tubes



**ClampOnMount  
Dual-SC**  
12.1770

✓ with two  
SuperClamps

## OneHand

Keeps devices floating for easy repositioning. Device can be moved 90° vertically and 360° horizontally.



**Base TC-OH | 01.1004**

✓ clamps on flat surfaces  
from 0-50 mm (0-2").

**2-in-1**  
Can be  
mounted  
on walls too!

**TC-OH | 12.1730**

✓ for devices from 2 - 6 kg  
(5 - 13 lbs)

**TC-OH-HD | 12.1740**

✓ for devices from 6 - 11 kg  
(13 - 24 lbs)

**TC-OH Light | 12.1735**

✓ for devices from 0,7 - 3 kg  
(1,5 - 7 lbs)

# L3D

Light 3D table mounts with one, two or three tubes each equipped with QuickShift joints, a SuperClamp and either a Universal Device Socket (UDS) or a Spigot Link System (SLS).



**TC L3D  
FM UDS**  
12.1721

- ✓ one gooseneck
- ✓ with UDS



**TC L3D  
1QS UDS**  
12.1783

- ✓ one tube
- ✓ with UDS



**TC L3D  
2QS UDS**  
12.1784

- ✓ two tubes
- ✓ with UDS



**TC L3D  
3QS UDS**  
12.1785

- ✓ three tubes
- ✓ with UDS

**TC L3D  
FM SLS**  
12.1722

- ✓ one gooseneck
- ✓ with SLS

**TC L3D  
1QS SLS**  
12.1780

- ✓ one tube
- ✓ with SLS

**TC L3D  
2QS SLS**  
12.1781

- ✓ two tubes
- ✓ with SLS

**TC L3D  
3QS SLS**  
12.1782

- ✓ three tubes
- ✓ with SLS



## **L3D MC 1QS Universal Phone Mounting Kit** 14.5554

Mounting kit for mounting Reha-dapt's universal phone holder (14.1610) anywhere. Includes the MiniClamp for clamping on  $\varnothing$ 13-35 mm tubes (1/2-1 3/8"). Rubber wedge for flat surfaces included.

